

A literature database on the mating behavior of stylommatophoran land snails and slugs*

Angus Davison¹ and Peter Mordan²

¹ Institute of Genetics, School of Biology, University of Nottingham, Queens Medical Centre, Nottingham, NG7 2UH, UK, angus.davison@nottingham.ac.uk

² Department of Zoology, The Natural History Museum, London, SW7 5BD, UK, pbm@nhm.ac.uk

Abstract: Stylommatophoran land snails and slugs generally mate by shell-mounting or face-to-face. Although phylogenetic evidence suggests that the mating position has remained more or less constant throughout the evolution of most lineages, other aspects of mating behavior and associated reproductive characters are highly variable. Along with other gastropods, therefore, stylommatophoran land snails and slugs could be particularly useful in trying to understand sex and sex allocation theory in hermaphrodites. It is often difficult, however, to compare mating behavior in different species because the literature is difficult to access or reports have not been formally published. Here we review studies on the mating behavior of snails and slugs, with the additional aim of creating a central access point and database for use as a resource by those interested in stylommatophoran mating behavior. As we maintain the database, updated versions will be made available at <http://www.molluscs.org>.

Key words: love darts, mollusc, sexual conflict, reciprocal mating, simultaneous hermaphrodite

The mating behavior of a wide variety of stylommatophoran land snails has been observed, but the descriptions are often within texts that are not easily accessible, or cannot be searched electronically. Many malacologists have also made their own informal observations of mating behavior, but do not publish them for lack of time, or because they are not perceived to be of sufficient worth on their own. Because there have been no recent reviews of the mating behavior of snails and slugs, we set out to collect as many observations together as possible, both formal and informal. Such an approach has already proved useful in trying to understand how so-called “love” darts evolved (Davison *et al.* 2005). Differences in mating behavior have also been used to understand the distribution of chiral variation (or asymmetry) among different taxonomic groups (Asami *et al.* 1998) and the evolution of external sperm exchange (Emberton 1994). The aim of this brief review, therefore, is to create a starting point for a compilation of data on the mating behavior of stylommatophoran snails and slugs.

Although there are some exceptions (*e.g.*, the elongated penes and external fertilization of *Limax maximus* Linnaeus, 1758), mating in the majority of land snails and slugs can be classified as either face-to-face or shell-mounting (Figure 1; Asami *et al.* 1998). The vast majority of species are also simultaneous hermaphrodites. In theory, therefore, four different modes of mating are possible because sex is also

either simultaneous reciprocal (both individuals are male and female at the same time) or unilateral (each individual has a defined role as male or female during a single round of mating):

- Face-to-face, simultaneous reciprocal;
- Face-to-face, unilateral;
- Shell-mounting, simultaneous reciprocal;
- Shell-mounting, unilateral.

When two individuals mate unilaterally, they often switch roles after one round of mating—male becomes female and female becomes male. The frequency with which this occurs is difficult to assess because it requires extended observations, and also the frequency of mate switching depends upon the condition (or desire) of each snail (Koene and Ter Maat 2005). The problem is further complicated because often the most efficient means to make laboratory observations of mating behavior is to isolate individuals for some time before bringing them together. For a variety of possible reasons (*e.g.*, availability of seminal fluid), isolated individuals are more likely to switch mates after one round of mating (Koene and Ter Maat 2005).

Another concern is whether sperm or spermatophore transfer is always reciprocal if mating is reciprocal; from an evolutionary point of view, the reciprocal exchange of sperm is just as important. In some species of *Succinea* Draparnaud,

* From the symposium “Gastropod Mating Systems” presented at the joint meeting of the American Malacological Society and Western Society of Malacologists, held 26-30 June 2005 at Asilomar, Pacific Grove, California.




Figure 1. A, *Iberus marmoratus* Férussac, 1801 (Helicidae) mating face-to-face and simultaneous reciprocally. Horizontal field width approximately 6 cm. Photo by A. Davison, in the laboratory. B, *Liguus fasciatus* Pilsbry, 1912 (lower snail, acting as male) and *Orthalicus floridensis* Pilsbry, 1899 (upper snail, acting as female) (Orthalicidae) mating by shell-mounting. Specimens in hardwood hammock in the Redlands of southern Dade County, Florida. Image reproduced with the kind permission of the photographer, Phil Poland, ppoland1@tampabay.rr.com. Vertical field width approx. 7 cm.

1801 that mate reciprocally by shell-mounting, sperm transfer is sometimes unilateral (Jordaens *et al.* 2005), whereas other species such as *Arianta arbustorum* Linnaeus, 1758 have a high reciprocity (Baur 1998). In species that develop as males before becoming simultaneous hermaphrodites, such as *Lissachatina (Achatina) fulica* Bowdich, 1822, sperm transfer may frequently be unilateral (Tomiyama 1993).

We surveyed the formal literature on the mating behavior of land snails and slugs and then classified each species as to whether it mates face-to-face, by shell-mounting, simultaneous reciprocally, or unilaterally (Table 1). We also included informal observations, when available (mating position and, to a lesser extent, reciprocity can be scored from photographs), and tried to identify video recordings of mating behavior (Table 2). One striking, immediately apparent result is that face-to-face mating is exclusively associated with simultaneous reciprocal mating. Snails and slugs in three monophyletic groups mate face-to-face and simultaneous reciprocally: the Helicoidea, Limacoidea, and Philomycidae (Davison *et al.* 2005).

One other reason to study mating behavior is to understand the evolution of “love” darts. Despite the attention that greets each advance, little is known about the use of darts outside of *Cantareus aspersus (Helix aspersa* Müller, 1774) (Koene and Chase 1998a, 1998b, Landolfa *et al.* 2001, Rogers and Chase 2001, Rogers and Chase 2002, Koene and

Schulenberg 2005, Chase 2006), except that there is considerable variation in the timing of the use of the dart, its morphology, and the number used in different species (Ashford 1883, Tompa 1980, Baminger *et al.* 2000, Koene and Schulenberg 2005). At the extreme of the spectrum, some species of *Euhadra* Pilsbry, 1890 repeatedly stab a dart (~3000 times) during “foreplay” prior to mating (J. Koene and S. Chiba, personal communication). Opinions also vary over what constitutes a dart. Although some might contend that an “amatorial” organ is a dart, we argue that while darts and amatorial organs may (or may not) have similar functions, they are clearly distinguishable because only the former is a “hard, calcified or chitinous organ that is used to pierce a partner during mating” (Davison *et al.* 2005).

There have been very few formal observations of dart use. The only photographs that we are aware of showing darts “in use” are of *C. aspersus* (Koene and Chase 1998a, 1998b, Landolfa *et al.* 2001, Rogers and Chase 2001, Rogers and Chase 2002, Koene and Schulenberg 2005), *Cepaea nemoralis* (Davison *et al.* 2005), and *Trichotoxon heyneumanni* (Schilthuizen 2005). It would therefore be useful if creating a database also stimulated malacologists to record dart use and to publicize their efforts. We have recently used information in the database to show that dart-bearing species are confined to the same three monophyletic groups mentioned above (the Helicoidea, Limacoidea, and Philomycidae) and that they all mate face-to-face and simultaneous reciprocally. However, there is no evidence that the relationship is causal (Davison *et al.* 2005).

Although there are still some large clades of snails for which there have been few observations of mating behavior, an interesting dichotomy has emerged between invariant mating position and other highly variable reproductive characters. Some species have head warts (Binder 1977, Takeda 1982, Falkner 1993), penial stimulators (Reise 2004), or amatorial organs (Panha 1987), whereas individuals in other species bite off the penis of their partner (Leonard *et al.* 2002) or entwine their penes before exchanging sperm externally (Quick 1960). Although it has been known that some families tend to have the same shell shape (Cain 1977), the strong and (almost) invariant correlation between mating position and shell shape has mostly been overlooked (Asami *et al.* 1998, Davison *et al.* 2005).

Our attention is drawn to the exceptions. In the helicoid group, species of *Amphidromus* Albers, 1850 have high-spired shells but still mate reciprocally, even between chirally-reversed individuals (M. Schilthuizen, personal communication). As they also lack darts, it is tempting to speculate that the shell-shape change and lack of darts are in some way associated, but there is no firm evidence. Clausiild snails are interesting because some species mate unilaterally whereas others mate reciprocally; there is even within-species variation (Nordsieck 2005a, 2005b). Finally, *Oreohel-*

Table 1. An overview of the literature on the mating behavior of stylommatophoran land snails and slugs. Mating behaviour: FF, face-to-face; I, idiosyncratic; SM, shell-mounting; SR, simultaneous reciprocal; U, unilateral (includes sequential unilateral mating); ?, not known. Shell shape: H, high-spired; L, low-spired; S, slug or semi-slug. Darts: N, dart and art-sac absent; Y, dart or dart-sac present.

| Family | Genus | Mating | | Shell shape | Darts | References |
|--------------------------|---|-----------------|----|-------------|-------|--|
| Helicoidea | | | | | | |
| Bradybaenidae | <i>Bradybaena</i> Beck, 1837 | FF | SR | L | Y | Asami <i>et al.</i> 1998 |
| | <i>Euhadra</i> Pilsbry, 1890 | FF | SR | L | Y | Takeda and Tsuruoka 1979, Azuma 1995, Asami <i>et al.</i> 1998, S. Chiba, A. Davison, J. Koene, pers. obs. |
| Camaenidae | <i>Mandarina</i> Pilsbry, 1895 | FF | SR | L | N | S. Chiba & A. Davison, pers. obs. |
| | <i>Caracolis</i> Montfort, 1810 | FF | SR | L | N | Howell-Rivero 1950, Webb 1970b, 1974 |
| | <i>Polydotes</i> Montfort, 1810 | ? | ? | L | N | Webb 1970b, 1974 |
| | <i>Pleurodonte</i> Fischer von Waldheim, 1807 | FF | SR | L | N | Sánchez Muñoz 2005a |
| | <i>Satsuma</i> A. Adams, 1868 | FF | SR | L | N | Abbott 1989, Azuma 1995 |
| | <i>Amphidromus</i> Albers, 1850 | FF | SR | H | N | Schilthuizen and Davison 2005, M. Schilthuizen, pers. comm. |
| | <i>Zachrysia</i> Pilsbry, 1894 | FF | SR | L | N | Howell-Rivero 1946, Sánchez Muñoz 2005b |
| Helicidae | <i>Cepaea</i> Held, 1837 | FF | SR | L | Y | Beaumont 1988 |
| | <i>Cantareus</i> Risso, 1826 | FF | SR | L | Y | Giusti and Lepri 1980-1981, Adamo and Chase 1988, Giusti and Andreini 1988 |
| | <i>Theba</i> Risso, 1826 | FF | SR | L | Y | Giusti and Andreini 1988 |
| | <i>Arianta</i> Leach in Turton, 1831 | FF | SR | L | Y | Hofmann 1923, Locher and Baur 2000 |
| | <i>Helix</i> Linnaeus, 1758 | FF | SR | L | Y | Meisenheimer 1907, Jeppesen 1976, Lind 1976, Giusti and Lepri 1980-1981, Chung 1987 |
| | <i>Tacheocampylaea</i> Pfeiffer, 1877 | FF | SR | L | Y | Giusti and Lepri 1980-1981 |
| | <i>Eobania</i> P. Hesse, 1913 | FF | SR | L | Y | Giusti and Lepri 1980-1981 |
| | <i>Iberus</i> Montfort, 1810 | FF | SR | L | Y | Rabáneda-Bueno <i>et al.</i> 2004, this paper |
| Helminthoglyptidae | <i>Cepolis</i> Montfort, 1810 | FF | SR | L | Y | Webb 1942, 1952a |
| | <i>Helminthoglypta</i> Ancey, 1887 | FF | SR | L | Y | Webb 1942, 1952a, van der Laan 1971, van der Laan 1980 |
| | <i>Humboldtiana</i> Ihering, 1892 | FF | SR | L | Y | Webb 1980b |
| | <i>Monadenia</i> Pilsbry, 1895 | FF | SR | L | Y | Webb 1952b |
| | <i>Sonorella</i> Pilsbry, 1900 | FF | SR | L | Y | Webb 1980a, 1990 |
| | <i>Polymita</i> Beck, 1837 | FF | SR | L | Y | Moreno 1950, Tur <i>et al.</i> 2002 |
| Hygromiidae | <i>Cochlicella</i> Férussac, 1820 | FF | SR | H | Y | Schileyko and Menkhorst 1997, Asami <i>et al.</i> 1998 |
| | <i>Monacha</i> Fitzinger, 1833 | FF | SR | L | Y | Storey 2005 |
| | <i>Halolimnohelix</i> Germain, 1913 | FF | SR | L | Y | Block 1968a |
| Polygyridae ² | <i>Allogona</i> Pilsbry, 1939 | FF | SR | L | N | Webb 1948a, Emberton 1994, Atkinson 2005 |
| | <i>Ashmunella</i> Pilsbry & Cockerell, 1899 | FF | SR | L | N | Webb 1954a, Emberton 1994 |
| | <i>Cryptomastix</i> Pilsbry, 1939 | FF | SR | L | N | Webb 1970c, Emberton 1994 |
| | <i>Mesodon</i> Rafinesque in Férussac, 1821 | FF ¹ | SR | L | N | Webb 1954b, Emberton 1991 |
| | <i>Neohelix</i> Ihering, 1892 | FF | SR | L | N | Webb 1952d, Emberton 1994 |
| | <i>Polygyra</i> Say, 1818 | FF ¹ | SR | L | N | Archer 1933, Emberton 1994, Webb 1994a, 1994b |

Table 1. Continued

| Family | Genus | Mating | | Shell shape | Darts | References |
|-----------------|---|-----------------|------|-------------|-------|---|
| | <i>Stenotrema</i> Rafinesque, 1819 | FF ¹ | SR | L | N | Webb 1947, 1948b, Emberton 1994 |
| | <i>Trilobopsis</i> Pilsbry, 1939 | FF | SR | L | N | Webb 1965, Emberton 1994 |
| | <i>Triodopsis</i> Rafinesque, 1819 | FF | SR | L | N | Webb 1948a, 1959, Emberton 1994 |
| | <i>Vespericola</i> Pilsbry, 1939 | FF | SR | L | N | Webb 1970a, Emberton 1994 |
| Limacoidea | | | | | | |
| Agriolimacidae | <i>Deroceras</i> Rafinesque, 1820 | FF | SR | S | N | Reise 1995, Reise 2004 |
| Arionidae | <i>Arion</i> Férussac, 1819 | FF | SR | S | N | Adams 1910, Quick 1946, Davis 1977 |
| | <i>Geomalacus</i> Allman, 1842 | FF | ? | S | N | Platts and Speight 1988 |
| | <i>Ariolimax</i> Mörch, 1859 | FF | SR/U | S | N | Leonard <i>et al.</i> 2002 |
| Ariophantidae | <i>Ariophanta</i> Desmoulins, 1829 | FF | SR | L | Y | Dasen 1933 |
| | <i>Hemiplecta</i> Albers, 1850 | FF | SR | L | N | S. Panha, pers. comm. |
| | <i>Macrochlamys</i> (<i>Syama</i>) Godwin-Austen, 1908 | FF | SR | L | N | S. Panha, pers. comm. |
| | <i>Microparmarion</i> Simroth, 1893 | FF | ? | S | N | Liew Thor Seng, pers. comm. |
| Gastrodontidae | <i>Oxychilus</i> Fitzinger, 1833 | FF | SR | L | N | Rodriguez and Gomez 1999 |
| Limacidae | <i>Limax</i> Linnaeus, 1758 | I ¹ | SR | S | N | Chase 1952, Quick 1960, Langlois 1965, Baur 1998 |
| | <i>Limacus</i> Lehmann, 1864 | FF | SR | S | N | Barker 1999 |
| Milacidae | <i>Tandonia</i> (<i>Milax</i>) Lesson & Pollonera, 1882 | FF | SR | S | N | Quick 1960 |
| Trochomorphidae | <i>Bertia</i> Ancey, 1887 | FF | SR? | L | N | Menno Schilthuizen, pers. comm. |
| Urocyclidae | <i>Trichotoxon</i> Simroth, 1889 | FF | SR | S | Y | Bernard Verdcourt, pers. comm. |
| | <i>Gymmarion</i> Pilsbry, 1919 | FF | SR | L | N | Binder 1977 |
| | <i>Sheldonia</i> Ancey, 1887 | FF | SR | L | N | Herbert and Kilburn 2004 |
| | <i>Elisolimax</i> Cockerell, 1893 | FF | SR | S | N | Herbert and Kilburn 2004 |
| Vitrinidae | <i>Semilimax</i> Agassiz, 1845 | FF | SR | S | Y | Künkel 1933 |
| | <i>Vitrinobrachium</i> Kunkel, 1929 | FF | SR | S | N | Künkel 1933 |
| Zonitidae | <i>Mesomphix</i> Rafinesque, 1819 | FF | SR | L | N | Webb 1952c |
| | <i>Ventridens</i> Binney & Bland, 1869 | FF | SR | L | Y | Pilsbry 1946, Webb 1948c |
| Other | | | | | | |
| Acavidae | <i>Helicophanta</i> Westerlund, 1886 | SM | U | L | N | George Williams, pers. comm. |
| Achatinidae | <i>Achatina</i> Lamarck, 1799 | SM | SR | H | N | Tomiyama 1994, 1996 |
| | <i>Archachatina</i> Albers, 1850 | SM | SR | H | N | Plummer 1975 |
| Cerastidae | <i>Zebrinops</i> Thiele, 1931 | FF | SR | H | N | Block 1968b |
| Ceriidae | <i>Cerion</i> Röding, 1798 | ? | U | H | N | Woodruff 1978 |
| Chondrinidae | <i>Solatopupa</i> Pilsbry, 1917 | ? | U | H | N | Boato and Rasotto 1987 |
| Clausiliidae | <i>Albinaria</i> Vest, 1867 | SM | SR | H | N | Schilthuizen and Lombaerts 1995, Menno, Schilthuizen, pers. comm. |
| | <i>Euphaedusa</i> O. Boettger, 1877 | SM | U | H | N | Asami <i>et al.</i> 1998 |
| | <i>Luchuphaedusa</i> Pilsbry, 1901 | SM | U | H | N | Asami <i>et al.</i> 1998 |
| | <i>Stereophaedusa</i> O. Boettger, 1877 | SM | U | H | N | Asami <i>et al.</i> 1998 |
| (Alopilinae) | <i>Agathylla</i> H. & A. Adams, 1855 | SM | SR | H | N | Nordsieck 1969, 2005a, 2005b |
| | <i>Cochlodina</i> Férussac, 1821 | SM | U | H | N | Nordsieck 2005a, 2005b |
| | <i>Delima</i> Hartmann, 1842 | SM | SR | H | N | Nordsieck 1969, 2005a, 2005b |
| | <i>Herilla</i> H. & A. Adams, 1855 | SM | SR | H | N | Nordsieck 2005a, 2005b |
| | <i>Medora</i> H. & A. Adams, 1855 | SM | SR | H | N | Nordsieck 2005a, 2005b |
| (Baleinae) | <i>Balea</i> Gray, 1824 | SM | U | H | N | Nordsieck 2005a, 2005b |
| (Clausiliinae) | <i>Laciniaria</i> Hartmann, 1842 | SM | U | H | N | Nordsieck 2005a, 2005b |
| | <i>Macrogastrea</i> Hartmann, 1841 | SM | U | H | N | Nordsieck 2005a, 2005b |
| | <i>Clausilia</i> Draparnaud, 1805 | SM | U | H | N | Nordsieck 2005a, 2005b |
| | <i>Ruthenica</i> Lindholm, 1924 | SM | U | H | N | Nordsieck 2005a, 2005b |
| | <i>Neostyriaca</i> A. Wagner, 1920 | SM | U | H | N | Nordsieck 2005a, 2005b |

Table 1. Continued

| Family | Genus | Mating | | Shell shape | Darts | References |
|------------------|--|-----------------|------|-------------|-------|---|
| Discidae | <i>Anguispira</i> Morse, 1864 | SM ¹ | SR | L | N | Webb 1968b |
| Enidae | <i>Mastus</i> Beck, 1837 | SM | SR | H | N | Paramakelis and Mylonas 2002, Paramakelis, pers. comm. |
| Haplotrematidae | <i>Haplotrema</i> Ancey, 1881 | SM | U | L | N | Webb 1943 |
| Oreohelicidae | <i>Oreohelix</i> Pilsbry, 1904 | SM | U | L | N | Webb 1951 |
| Orthalicidae | <i>Liguus</i> Montfort, 1810 | SM | U | H | N | Davidson 1965, Poland 2005 |
| Partulidae | <i>Partula</i> Férussac, 1819 | SM | U | H | N | Lipton and Murray 1979 |
| Philomycidae | <i>Philomycus</i> Rafinesque, 1820 | FF | SR | S | Y | Webb 1968a |
| Rhytididae | <i>Paryphanta</i> Albers, 1850 | SM | U | L | N | Stringer <i>et al.</i> 2003 |
| Spiraxidae | <i>Euglandina</i> Fischer & Crosse, 1870 | SM | U | H | N | Cook 1985 |
| Strophocheilidae | <i>Strophocheilus</i> Spix, 1827 | SM | U | H | N | Wiswell and Browning 1967 |
| Succineidae | <i>Catinella</i> Pease, 1870 | SM ¹ | SR | H | N | Webb 1977a |
| | <i>Oxyloma</i> Westerlund, 1885 | SM | U/SR | H | N | Webb 1977a, 1977b, 1977c |
| | <i>Succinea</i> Draparnaud, 1801 | SM | U/SR | H | N | Rieper 1912, Hecker 1965, Webb 1977a, Jackiewicz 1980, Villalobos <i>et al.</i> 1995, Jordaens <i>et al.</i> 2005 |
| Valloniidae | <i>Vallonia</i> Risso, 1826 | FF | SR? | L | N | Barker 1999 |
| Vertiginidae | <i>Vertigo</i> Müller, 1774 | SM | U? | H | N | Barker 1999 |

¹ External sperm exchange; sperm is deposited on the male's everted penis without intromission (see Emberton 1994)

² See Emberton (1994) for details of mating in other Polygyrid species (mostly papers by Webb).

Table 2. Species for which there are videos showing mating behavior.

| Taxon | Mating behavior | Film-maker |
|--|-----------------|---|
| <i>Ariolimax dolichophallus</i> Mead, 1943 | Face-to-face | Brooke Miller, UC Santa Cruz (miller@biology.ucsc.edu) http://bio.research.ucsc.edu/grad/weaver/Pages/project.html |
| <i>Cantareus aspersus</i> Müller, 1774 | Face-to-face | Joris Koene, Vrije Universiteit (joris.koene@falw.vu.nl) Ronald Chase, McGill University (ronald.chase@mcgill.ca) |
| <i>Deroceras</i> sp. | Face-to-face | Heike Reise, Staatliches Museum für Naturkunde Górlitz (Heike.Reise@smng.smwk.sachsen.de) http://www.malacsoc.org.uk/Malacological%20Bulletin/BULL43/king2.htm#dive |
| <i>Euhadra sandai</i> Kobelt, 1879 | Face-to-face | Nishi Hirota (movie archives of animal behaviour) http://zoo2.zool.kyoto-u.ac.jp/ethol/ |
| <i>Satsuma amanoi</i> Kuroda, 1960 | Face-to-face | Nishi Hirota (movie archives of animal behaviour) http://zoo2.zool.kyoto-u.ac.jp/ethol/ |
| <i>Mastus pupa</i> Linnaeus, 1758 | Shell-mounting | Aris Paramakelis, University of Crete (paramakel@nhmc.uoc.gr) |

lix Pilsbry, 1904 is another intriguing genus because it mates by shell-mounting (Webb 1951). Although its phylogeny is unclear (Wade *et al.* 2006), we predict that it will either fall within the helicoid group or be basal to it.

We expect that observations of mating behavior will grow over the coming years and so will continue to update the database of mating behavior (updated versions at <http://www.molluscs.org>).

We welcome any data that we have inadvertently excluded, including single photographs.

ACKNOWLEDGEMENTS

We would like to thank Glenn Webb for making so many observations over so many years. This paper would

not have been possible without his contribution. Thanks also to comments received from two anonymous referees.

LITERATURE CITED

- Abbott, R. T. 1989. *Compendium of landshells*. American Malacologists, Inc., Melbourne, Florida.
- Adamo, S. A. and R. Chase. 1988. Courtship and copulation in the terrestrial snail *Helix aspersa*. *Canadian Journal of Zoology* **66**: 1446-1453.
- Adams, L. E. 1910. Observations on the pairing of *Arion ater* (L.). *Journal of Conchology* **13**: 116-119.
- Archer, A. F. 1933. A study of *Polygyra inflecta* (Say). *Occasional Paper of the Museum of Zoology of the University of Michigan*. 8 pp.
- Asami, T., R. H. Cowie, and K. Ohbayashi. 1998. Evolution of mirror images by sexually asymmetric mating behavior in hermaphroditic snails. *American Naturalist* **152**: 225-236.
- Ashford, C. 1883. The darts of British Helicidae. *Journal of Conchology* **4**: 69-320.
- Atkinson, J. W. 2005. A pair of *Allogona profunda* mating in the laboratory. Available at <http://www.msu.edu/~atkinso9/gallery.htm> 27 July 2006.
- Azuma, M. 1995. *Coloured illustrations of the land snails of Japan*. Hoikusya, Osaka. [In Japanese.]
- Baminger, H., R. Locher, and B. Baur. 2000. Incidence of dart shooting, sperm delivery, and sperm storage in natural populations of the simultaneously hermaphroditic land snail *Arianta arbustorum*. *Canadian Journal of Zoology* **78**: 1767-1774.
- Barker, G. M. 1999. *Naturalised Terrestrial Stylommatophora*. Landcare Research, Lincoln, Canterbury.
- Baur, B. 1998. Sperm competition in molluscs. In: T. Birkhead and A. P. Møller, eds., *Sperm competition and sexual selection*. Academic Press, London. Pp. 255-305.
- Beaumont, M. A. 1988. *A study of reproductive interference between closely related species*. Ph.D. Dissertation. University of Nottingham, UK.
- Binder, E. 1977. La pariade chez le genre *Gymnarion* Pilsbry 1919; rôle de l'organe frontal. *Archiv für Molluskenkunde* **107**: 249-255.
- Block, M. R. 1968a. Some observations on *Haloliomnolix iredalei* Connolly. *Journal of Conchology* **26**: 219-224.
- Block, M. R. 1968b. The anatomy of *Zebrinops ventricosa* Connolly, with notes on the living animal. *Revue de Zoologie et de Botanique Africaine* **78**: 325-331.
- Boato, A. and M. B. Rasotto. 1987. Functional protandry and seasonal reproductive cycle in *Solatopupa similis* Bruguière (Pulmonata, Chondrinidae). *Bolletino di Zoologia* **54**: 119-125.
- Cain, A. J. 1977. Variation in spire index of some coiled gastropod shells and its evolutionary significance. *Philosophical Transactions of the Royal Society of London B Biological Sciences* **277**: 377-428.
- Chase, L. M. 1952. The aerial mating of the great slug. *Discovery* **13**: 356-359.
- Chase, R. 2007. The function of dart shooting in certain helicid snails. *American Malacological Bulletin* **23**: 183-189.
- Chung D. J. D. 1987. Courtship and dart shooting behavior of the land snail *Helix aspersa*. *Veliger* **30**: 24-39.
- Cook, A. 1985. The courtship of *Englandina rosea* (Férussac). *Journal of Molluscan Studies* **51**: 211-214.
- Dasen, D. D. 1933. Structure and function of the reproductive system in *Ariophanta*. *Proceedings of the Zoological Society of London* **1933**: 97-123.
- Davidson, T. 1965. Tree snails. Gems of the Everglades. *National Geographic Magazine* **127**: 375.
- Davis, S. M. 1977. The *Arion hortensis* complex, with notes on *Arion intermedius* Normand (Pulmonata: Arionidae). *Journal of Conchology* **29**: 173-187.
- Davison, A., C. M. Wade, P. B. Mordan, and S. Chiba. 2005. Sex and darts in slugs and snails (Mollusca: Gastropoda: Stylommatophora). *Journal of Zoology* **267**: 329-338.
- Emberton, K. C. 1991. The genitalic, allozymic and conchological evolution of the tribe Mesodontini (Pulmonata: Stylommatophora: Polygyridae). *Malacologia* **33**: 71-178.
- Emberton, K. C. 1994. Polygyrid land snail phylogeny—external sperm exchange, early North-American biogeography, iterative shell evolution. *Biological Journal of the Linnean Society* **52**: 241-271.
- Falkner, G. 1993. Lockspiel und lockstoffdrüsen bei Hygromiiden und Heliciden (Gastropoda: Stylommatophora). *Heldia* **2**: 15-20.
- Giusti, F. and S. Andreini. 1988. Morphological and ethological aspects of mating in two species of the family Helicidae (Gastropoda Pulmonata): *Theba pisana* (Müller) and *Helix aspersa* Born. *Monitore Zoologico Italiano Monografia, New series* **22**: 331-363.
- Giusti, F. and A. Lepri. 1980-1981. Aspetti morfologici ed etologici dell'accoppiamento in alcune specie della famiglia Helicidae (Gastropoda, Pulmonata). *Lavori della Società Malacologica Italiana* **17-18**: 11-71.
- Hecker, U. 1965. Zur Kenntnis der mitteleuropäischen Bernsteischnecken. *Archiv für Molluskenkunde* **94**: 1-45.
- Herbert, D., and D. Kilburn. 2004. *Field guide to the land snails and slugs of eastern South Africa*. Natal Museum, South Africa.
- Hofmann, E. 1923. Ueber den Begattungsvorgang von *Arianta arbustorum* (L.). *Jenaische Zeitschrift für Naturwissenschaften* **59**: 363-400.
- Howell-Rivero, L. 1946. Nota sobre la cópula de *Zachrysis guanensis* y *Veronicella tenax*. *Revista de la Sociedad Malacológica "Carlos de la Torre y Huerta"* **4**: 75-84.
- Howell-Rivero, L. 1950. Reproducción de *Caracolus sagemon* Beck. *Revista de la Sociedad Malacológica "Carlos de la Torre y Huerta"* **7**: 45-50.
- Jackiewicz, M. 1980. Some observations on biology of reproduction of *Succinea Draparnaud* (Gastropoda, Pulmonata). *Annales Zoologici* **35**: 65-73.
- Jeppesen, L. L. 1976. The control of mating behaviour in *Helix pomatia* L. (Gastropoda: Pulmonata). *Animal Behaviour* **24**: 275-290.
- Jordaens, K., J. Pinceel and T. Backeljau. 2005. Mate choice in the

- hermaphroditic land snail *Succinea putris* (Stylommatophora: Succineidae). *Animal Behaviour* **70**: 329-337.
- Koene, J. M. and R. Chase. 1998a. Changes in the reproductive system of the snail *Helix aspersa* caused by mucus from the love dart. *Journal of Experimental Biology* **201**: 2313-2319.
- Koene, J. M. and R. Chase. 1998b. The love dart of *Helix aspersa* MÜLLER is not a gift of calcium. *Journal of Molluscan Studies* **64**: 75-80.
- Koene, J. M. and H. Schulenberg. 2005. Shooting darts: co-evolution and counter-adaptation in hermaphroditic snails. *BMC Evolutionary Biology* **5**: 25.
- Koene, J. M. and A. Ter Maat. 2005. Sex role alternation in the simultaneously hermaphroditic pond snail *Lymnaea stagnalis* is determined by the availability of seminal fluid. *Animal Behaviour* **69**: 845-850.
- Künkel, K. 1933. Vergleichende experimentelle studie über *Vitrina elongata* Draparnaud und *Vitrina brevis* Férussac. *Zoologische Jahrbucher* **52**: 399-432.
- Landolfi, M. A., D. M. Green, and R. Chase. 2001. Dart shooting influences paternal reproductive success in the snail *Helix aspersa* (Pulmonata, STYLOMMATOPHORA). *Behavioral Ecology* **12**: 773-777.
- Langlois, T. 1965. The conjugal behavior of the introduced European giant garden slug *Limax maximus* as observed on S. Bass Island, Lake Erie. *Ohio Journal of Science* **65**: 208-304.
- Leonard, J. L., J. S. Pearse, and A. B. Bryant Harper. 2002. Comparative reproductive biology of *Ariolimax californicus* and *A. dolichophallus* (Gastropoda: Stylommatophora). *Invertebrate Reproduction and Development* **41**: 83-93.
- Lind, H. 1976. Causal functional organization of the mating behaviour sequence in *Helix pomatia* (Pulmonata, Gastropoda). *Behavior* **59**: 162-201.
- Lipton, C. S. and J. Murray. 1979. Courtship of land snails of the genus *Partula*. *Malacologia* **19**: 129-146.
- Locher, R. and B. Baur. 2000. Sperm delivery and egg production of the simultaneously hermaphroditic land snail *Arianta arbustorum* exposed to an increased sperm competition risk. *Invertebrate Reproduction and Development* **38**: 53-60.
- Meisenheimer, J. 1907. Biologie, Morphologie und Physiologie des Begattungsvorganges und der Eiablage von *Helix pomatia*. *Zoologische Jahrbücher Abteilung für Systematik und Oekologie* **25**: 461-502.
- Moreno, A. 1950. Estudio anatómico del género *Polymita* Beck. *Memorias de la Sociedad Cubana de Historia Natural "Felipe Poey"* **20**: 21-35.
- Nordsieck, H. 1969. Zur Anatomie und Systematik der Clausilien, VI. Genitalsystem und Systematik der Clausiliidae, besonders der Unterfamilie Alopäiinae. *Archiv für Molluskenkunde* **99**: 247-265.
- Nordsieck, H. 2005a. Mating biology of Clausiliidae (Gastropoda, Stylommatophora). <http://www.clausilia.de>, accessed 18 October 2006.
- Nordsieck, H. 2005b. Mating biology of Clausiliidae (Gastropoda: Stylommatophora). *Mitteilungen der Deutschen Malakozoologischen Gesellschaft* **73/74**: 29-34.
- Panha, S. 1987. Histochemical and ultrastructural studies on the amatorial organ of *Hemiplecta distincta* (Pfeiffer) (Pulmonata: Ariophantidae). *Venus* **46**: 109-115.
- Paramakelis, A. and M. Mylonas. 2002. Aspects of the reproduction and activity of two sympatric *Mastus* (Beck, 1837) species in Crete (Gastropoda: Pulmonata: Buliminidae). *Journal of Molluscan Studies* **68**: 225-233.
- Pilsbry, H. A. 1946. *Land mollusca of North America (North of Mexico)*. The Academy of Natural Sciences of Philadelphia, Philadelphia, Pennsylvania.
- Platts, E. A. and M. C. D. Speight. 1988. The taxonomy and distribution of the Kerry slug *Geomalacus maculosus* Allman, 1843 (Mollusca: Arionidae) with a discussion of its status as a threatened species. *The Irish Naturalists' Journal* **22**: 417-430.
- Plummer, J. M. 1975. Observations on the reproduction, growth and longevity of a laboratory colony of *Archachatina (Cala-chatina) marginata* (Swainson) subspecies *ovum*. *Journal of Molluscan Studies* **41**: 395-413.
- Poland, P. 2005. Mating time in the hammock (*Liguus fasciatus lossmanicus* Pilsbry, 1912). Available at: <http://www.jaxshells.org/liguusf.htm> 27 July 2006.
- Quick, H. E. 1946. The mating process in *Arion hortensis* Férussac and in *Arion subfuscus* Draparnaud. *Journal of Conchology* **22**: 178-182.
- Quick, H. E. 1960. British slugs (Pulmonata: Testacellidae, Arionidae Limacidae). *Bulletin of the British Museum of Natural History and Zoology* **6**: 105-226.
- Rabaneda-Bueno, R., G. Moreno-Rueda, F. A. Rulz-Avilés, and R. Márquez-Ferrando. 2004. Trio mating formation during copula in the hermaphrodite land snail *Iberus gualtierianus* L. (Gastropoda: Helicidae). Available at: <http://www.malacsoc.org.uk/Malacological%20Bulletin/BULL43/king2.htm#trio> 27 July 2006
- Reise, H. 1995. Mating behavior of *Deroceras rodnae* Grossu and Lupu, 1965 and *Deroceras praecox* Wiktor, 1966 (Pulmonata, Agriolimacidae). *Journal of Molluscan Studies* **61**: 325-330.
- Reise, H. 2004. Diversity of mating behaviour within *Deroceras*. *Malacological Society Bulletin* **43**: 11.
- Rieper, H. 1912. Studien an *Succinea*. *Annales de la Societe Royale Zoologique et Malacologique de Belgique* **27**: 125-191.
- Rodriguez, A. S. and B. J. Gomez. 1999. Copulatory process in *Oxychilus (Drouetia) atlanticus* (Morelet & Drouët, 1857) (Pulmonata: Zonitidae). *Invertebrate Reproduction and Development* **36**: 1-3.
- Rogers, D. W. and R. Chase. 2001. Dart receipt promotes sperm storage in the garden snail *Helix aspersa*. *Behavioral Ecology and Sociobiology* **50**: 122-127.
- Rogers, D. W. and R. Chase. 2002. Determinants of paternity in the garden snail *Helix aspersa*. *Behavioral Ecology and Sociobiology* **52**: 289-295.
- Sánchez Muñoz, A. J. 2005a. Mating pair of camaenid snails, *Pleurodonte excellens*. Santo Domingo, southern Dominican Republic, Hispaniola. Available at: <http://www.kingsnake.com/westindian/pleurodonteexcellens1.JPG> 27 July 2006.
- Sánchez Muñoz, A. J. 2005b. Camaenid snails, probably *Zachrysia provisoria*, during mating. Barrenspot, central Saint Croix, United States Virgin Islands. Available at: <http://www>

- .kingsnake.com/westindian/zachrysiaprovvisorial.JPG 27 July 2006.
- Schileyko, A. A. and H. P. M. G. Menkhorst. 1997. Composition and phylogenetic relations of the Cochlicellidae (Gastropoda, Pulmonata). *Ruthenica* 7: 51-60.
- Schilthuizen, M. 2005. The darting game in snails and slugs. *Trends in Ecology and Evolution* 20: 581-584.
- Schilthuizen, M. and A. Davison. 2005. The convoluted evolution of snail chirality. *Naturwissenschaften* 92: 504-515.
- Schilthuizen, M., and M. Lombaerts. 1995. Life on the edge—a hybrid zone in *Albinaria hippolyti* (Gastropoda, Clausiliidae) from Crete. *Biological Journal of the Linnean Society* 54: 111-138.
- Storey, M. 2005. BioImages—virtual field-guide. <http://www.bioimages.org.uk>, accessed 18 October 2006.
- Stringer, I. A. N., S. M. Bassett, M. J. McLean, J. McCartney, and G. R. Parrish. 2003. Biology and conservation of the rare New Zealand land snail *Paryphanta busbyi watti* (Mollusca, Pulmonata). *Invertebrate Biology* 122: 241-251.
- Takeda, N. 1982. Notes on the fine structure of the head-wart in some terrestrial snails. *The Veliger* 24: 328-330.
- Takeda, N., and H. Tsuruoka. 1979. A sex pheromone secreting gland in the terrestrial snail, *Euhadra peliomphala*. *Journal of Experimental Zoology* 207: 17-26.
- Tomiyaama, K. 1993. Growth and maturation pattern of African giant snail, *Achatina fulica* (Férussac) (Stylommatophora; Achatinidae) in Ogasawara Islands. *Venus* 51: 85-98.
- Tomiyaama, K. 1994. Courtship behaviour of the giant African land snail *Achatina fulica* (Férussac) (Stylommatophora: Achatinidae) in the field. *Journal of Molluscan Studies* 60: 47-54.
- Tomiyaama, K. 1996. Mate-choice criteria in a protandrous simultaneously hermaphroditic land snail *Achatina fulica* (Férussac) (Stylommatophora: Achatinidae). *Journal of Molluscan Studies* 62: 101-111.
- Tompa, A. S. 1980. The ultrastructure and mineralogy of the dart from *Philomycus carolinianus* (Pulmonata : Gastropoda) with a brief survey of the occurrence of darts in land snails. *The Veliger* 23: 35-42.
- Tur, B. R., A. F. Velázquez and Y. O. Cabrera. 2002. Conducta de apareamiento y aspectos de la relación del sistema reproductor en *Polymita muscarum* Lea 1834 (Gastropoda: Pulmonata). *Revista Biología* 14: 160-166.
- van der Laan, K. L. 1971. The population ecology of the terrestrial snail, *Helminthoglypta arrosa* (Pulmonata: Helicidae). Ph.D. dissertation. University of California Berkeley, California.
- van der Laan, K. L. 1980. Terrestrial pulmonate reproduction: Seasonal and annual variation and environmental factors in *Helminthoglypta arrosa* (Binney) (Pulmonata: Helicidae). *The Veliger* 23: 48-54.
- Villalobos, C., J. Monge-Nájera, Z. Barrientos, and J. Franco. 1995. Life cycle and field abundance of the snail *Succinea costaricana* (Stylommatophora: Succineidae), a tropical agricultural pest. *Revista de Biología Tropical* 43: 181-188.
- Wade, C. M., P. B. Mordan, and F. Naggs. 2006. Evolutionary relationships among the Pulmonate land snails and slugs (Pulmonata, Stylommatophora). *Biological Journal of the Linnean Society* 87: 593-610.
- Webb, G. R. 1942. Comparative observations of the mating habits of three California landsnails. *Bulletin of the Southern California Academy of Science* 41: 102-108.
- Webb, G. R. 1943. The mating of the landsnail *Haplotrema concavum* (Say). *American Midland Naturalist* 30: 341-345.
- Webb, G. R. 1947. Studies of the sex-organs of mating polygyrid landsnails. III. *Transactions of the Illinois State Academy of Science* 40: 218-227.
- Webb, G. R. 1948a. Comparative observations on the mating of certain Triodopsinae. *Nautilus* 61: 97-103.
- Webb, G. R. 1948b. The mating of *Stenotrema fraternum* (Say). *Nautilus* 62: 8-12.
- Webb, G. R. 1948c. Notes on the mating of some zonitoides (*Ventridens*) species of land snails. *American Midland Naturalist* 40: 453-461.
- Webb, G. R. 1951. Sexological notes on the landsnail *Oreohelix*. *Natural History Miscellanea* 78: 1-5.
- Webb, G. R. 1952a. Pulmonata, Helminthoglyptidae: Sexological data on the land-snails, *Cepolis maynardi* & *Helminthoglypta traski* and their evolutionary significance. *Gastropodia* 1: 3-5.
- Webb, G. R. 1952b. Pulmonata, Xanthonycidae: Comparative sexological studies of the North American land-snail, *Monadenia fidelis* (Gray) - a seeming ally of Mexican helicoids. *Gastropodia* 1: 1-3.
- Webb, G. R. 1952c. Sexological notes on *Mesomphix cupreus* and *M. subplanus*. *Transactions of the American Microscopical Society* 71: 408-410.
- Webb, G. R. 1952d. A sexological revision of some triodopsin landsnails, *Xolotrema*, *Neohelix*, and *Wilcoxorbis*. *Gastropodia* 1: 7-8.
- Webb, G. R. 1954a. The life-history and sexual anatomy data on *Ashmunella* with a revision of the triodopsin snails. *Gastropodia* 1: 11-18.
- Webb, G. R. 1954b. Pulmonata, Polygyridae, Polygyrinae: The sexology and taxonomy of seven species of land-snails of the genus *Mesodon*. *Gastropodia* 1: 19-20.
- Webb, G. R. 1959. Pulmonata, Polygyridae: Notes on the sexology of *Triodopsis*, a new sub-genus, *Haroldorbis*, and a new section, *Shelfordorbis*. *Gastropodia* 1: 23-25.
- Webb, G. R. 1965. On the sexology of *Trilobopsis loricata sonomensis* (Hemphill). *Gastropodia* 1: 58-60.
- Webb, G. R. 1968a. Observations on the sexology of *Philomycus carolinianus* Bosc. *Gastropodia* 1: 62.
- Webb, G. R. 1968b. Observations on the sexology of the endodontid land-snail, *Anguispira alternata* (Say). *Gastropodia* 1: 66-67.
- Webb, G. R. 1970a. Observations on the sexology of *Vespericola columbiana* (Lea) from Olympic Peninsula, Washington. *Gastropodia* 1: 66-67.
- Webb, G. R. 1970b. Pulmonata, Camaenidae: Comparative sexology and genital development of *Caracohus caracolla* (L.), *C. marginella* (Gmelin), and *Polydantes lima* (Férussac). *Gastropodia* 1: 79-84.

- Webb, G. R. 1970c. Sexological notes on *Cryptomastix mullani* (Bland & Cooper). *Gastropodia* 1: 74-75.
- Webb, G. R. 1974. Pulmonata, Camaenidae: Comparative sexology and genital development of *Caracolus caracolla* (L.), *C. marginella* (Gmelin), and *Polydotes lima* (Ferrussac). *Gastropodia* 1: 90-95.
- Webb, G. R. 1977a. The comparative sexology of several Succineidae. *Gastropodia* 1: 105-107.
- Webb, G. R. 1977b. On the sexology of *Catinella* (*Mediappendix*) *avara* (Say) or *C. (M.) vermeta* (Say). *Gastropodia* 1: 100-102.
- Webb, G. R. 1977c. Some sexologic observations on *Oxyloma retusa* (Lea). *Gastropodia* 1: 102-104.
- Webb, G. R. 1980a. Notes on the sexology of *Sonorella* (*Masculus*) *virilis* Pilsbry, Pulmonata, Xanthonyssidae. *Gastropodia* 2: 7-8.
- Webb, G. R. 1980b. The sexology of a Texan *Humboldtiana* (Pulmonata). *Gastropodia* 2: 2-7, 11-12.
- Webb, G. R. 1990. Notes on the sexology of *Sonorella simmonsii* Miller. *Gastropodia* 2: 22-24.
- Webb, G. R. 1994a. Data on the sexology of four more *Polygyra*. *Gastropodia* 2: 36-38.
- Webb, G. R. 1994b. The sexology of five species of *Polygyra* (Polygyridae Polygyrinae). *Gastropodia* 2: 30-31.
- Wiswell, O. and H. Browning. 1967. Mating of the giant South American snail *Strophocheilus oblongus*. *Anatomical Record* 157: 409.
- Woodruff, D. S. 1978. Natural history of *Cerion* 10: Evolution and adaptive radiation of *Cerion*—remarkably diverse group of West Indian land snails. *Malacologia* 17: 223-239.

Accepted: 9 March 2007